

Nutrition for Adults

Diet is particularly important in the management of cystic fibrosis (CF), as a person with CF who has a good diet may get fewer lung infections, recover more quickly from infections, maintain better lung function and have more energy for everyday activities.

Enzymes

Approximately 85% of adults with CF are pancreatic insufficient. This means the pancreas is unable to produce or release enough digestive enzymes into the small intestine and so food is not digested properly. To compensate, most people will take pancreatic enzymes capsules with food to aid in digestion. The main goal of this is to optimise nutrient absorption, improve weight gain, and prevent nutrient deficiencies. Forgetting or taking too few enzymes will result in diarrhoea, abdominal pain, and over time, weight loss or difficulty in gaining weight.

Diet

A balanced diet is important and should include all food groups (unless otherwise advised) including breads and cereals, fruits and vegetables, dairy products and protein foods like meat, chicken, fish, legumes, nuts and eggs.

Most adults with CF require between 20 to 50% more calories in their daily diet than those without CF because they do not absorb food as easily and the body uses more energy to function.

Specific energy requirements should be individualised and guided by a CF dietitian, as they will differ based on gastrointestinal and pulmonary symptoms, gender, age, weight, height and physical activity levels. Dietary needs may again change with exercise, pregnancy, transplant or diagnosis of CF Related Diabetes (CFRD).

Vitamins and Minerals

Vitamins

People with CF, particularly those who are pancreatic insufficient, often have deficiencies in 'fat-soluble' vitamins A, D, E and K due to the body's limited or total inability to absorb these vitamins.

VitABDECK is a CF-specific multivitamin that is generally prescribed to people with CF. Each vitamin is important for different bodily functions:

- Vitamin A for immune health and night vision

- Vitamin D for bone health
- Vitamin E as an antioxidant
- Vitamin K for normal blood clotting and bone health

Salt

People with CF lose large amounts of sodium and chloride (minerals that make up salt) in their sweat and these minerals need to be supplemented through the diet and/or supplements. Low salt levels can lead to dehydration and symptoms such as fatigue, nausea, cramps and thicker secretions, so ensuring there is enough salt in the diet is essential in avoiding this. The amount of salt replacement needed varies for each individual according to symptoms, dietary intake, climate and activity levels.

Gaining Weight

Often people with CF can struggle to gain weight despite the use of enzymes and increased caloric intake. It can be difficult to maintain a high calorie diet, particularly during periods of infection when appetite is often poor.

Fat 'boosting' is often used to help with weight gain. This is simply adding more fat to a meal so it is higher in calories without having to consume more food. E.g. adding 2 tablespoons of peanut butter to celery adds an extra 20g of fat. Fat is the easiest food source to use as it is the most concentrated source of calories.

Other tips include using full-cream milk, avoiding 'low-fat' food options, using supplement drinks, adding sauces to food and having ready-to-eat snacks on hand at all times. Supplemental feeding directly into the stomach via a percutaneous endoscopic gastrostomy (PEG) may also be needed if, despite all other options, weight gain is still an issue.

Overweight and Obesity

Surprisingly, new data from around the world shows that the proportion of people with CF who are overweight or obese is increasing. Part of this can be attributed to advancing CF treatments such as genetic modulator therapies. There is currently no research into the health risks associated with CF and obesity, however with increasing life expectancy, people with CF may potentially be at risk of the same metabolic risks (heart disease, diabetes, stroke) as the general population. It is important to ensure you are guided by a CF dietitian to maintain a healthy weight.

Dietary Review

At least once a year, people with CF should:

- meet with the CF dietitian to review diet, vitamins and enzymes
- make a plan and set clear goals regarding weight and diet
- have blood levels of fat-soluble vitamins checked
- ask about having an oral glucose tolerance test (OGTT) to check for CFRD

Useful Resources

- CFFood: A Guide for Adults www.cfwa.org.au/wp-content/uploads/2017/12/Nutrition-for-Adults.pdf
- CFBites: Snack and Meals for those with Cystic Fibrosis www.cfwa.org.au/wp-content/uploads/2017/12/CF-Bites.pdf
- CFCooking www.cfcooking.org
- Healthy Fats Factsheet www.cfwa.org.au/wp-content/uploads/2018/02/CF-Fact-Healthy-Fats.pdf
- Bone Health Factsheet www.cfwa.org.au/wp-content/uploads/2017/12/CF-Fact-Bone-Health.pdf
- CF Related Diabetes Factsheet www.cfwa.org.au/wp-content/uploads/2017/12/CF-Fact-Diabetes.pdf
- Dehydration Factsheet www.cfwa.org.au/wp-content/uploads/2018/02/CF-Fact-Dehydration.pdf
- PEG Factsheet www.cfwa.org.au/wp-content/uploads/2018/02/CF-Fact-PEG.pdf

Thank you to Jordan Luck, Clinical Dietitian, Sir Charles Gairdner Hospital, for input into this factsheet.

Cystic Fibrosis WA

The Niche
11 Aberdare Rd
Nedlands WA 6009

Postal Address
PO Box 959
Nedlands 6909

T: +61 8 6457 7333
F: +61 8 6457 7344
E: admin@cfwa.org.au

Disclaimer: The information contained herein is provided in good faith. However accuracy of any statements is not guaranteed by Cystic Fibrosis WA. We provide the information on the understanding that persons take responsibility for assessing relevance and accuracy. Individuals are encouraged to discuss their health needs with a health practitioner.

© Copyright Cystic Fibrosis Western Australia 2018